Coherent PDF Command Line Toolkit

User Manual
Version 2.2 (March 2017)



Contents

1 Basic Usage 1

Typographical Conventions

Command lines to be typed are shown in typewriter font in a box. For example:

cpdf in.pdf -o out.pdf

When describing the general form of a command, rather than a particular example, square brackets [] are used to enclose optional parts, and angled braces <> to enclose general descriptions which may be substituted for particular instances. For example,

cpdf <operation> in.pdf [<range>] -o out.pdf

describes a command line which requires an operation and, optionally, a range. An exception is that we use in.pdf and out.pdf instead of <input file> and <output file> to reduce verbosity. Under Microsoft Windows, type cpdf.exe instead of cpdf.

Chapter 1

Basic Usage

```
-idir \directory>
-0
                                               -recrypt
-stdout
                                               -stdin-user <password>
                         -stdin
-stdin-owner <password> -producer <text>
                                               -creator (text)
-change-id
                                               -cpdflin (filename)
-keep-l
                         -no-preserve-objstm
                                               -create-objstm
-control (filename)
                         -args (filename)
                                               -utf8
                                               -no-embed-font
-stripped
                         -raw
```

The Coherent PDF tools provide a wide range of facilities for modifying PDF files created by other means. There is a single command-line program cpdf (cpdf.exe under Microsoft Windows). The rest of this manual describes the options that may be given to this program.